AMEN	DMENT OF SOLICITATION/M	ODIFICATION	OF CONTRACT	1. CONTRACT ID CO	DDE F	PAGE OF PAGES
2. AMENDMEN	NT/MODIFICAITON NO. 3.	EFFECTIVE DATE	4. REQUISITION/PURCHA	ASE REQ. NO.	5. PROJECT N	O. (If applicble)
6. ISSUED BY	CODE		7. ADMINISTERED BY (If	other than Item 6)	CODE	
8. NAME AND	ADDRESS OF CONTRACTOR (No., street, county,	. State and ZIP Code)		(X) 9A. AMENDMEN	NT OF SOLICIATI	ON NO.
				9B. DATED (SEE	EITEM 11)	
				10A. MODIFICA	TION OF CONTE	RACT/ORDER NO.
CODE	FACILI	TY CODE		10B. DATED (SE	EE ITEM 11)	
			AMENDMENTS OF	SOLICITATIONS		
(a)By completing or (c) By separa PLACE DESIGN your desire to complete the complete to complete the complete	knowledge receipt of this amendment prior to the ng items 8 and 15, and returning cop ate letter or telegram which includes a reference to NATED FOR THE RECEIPT OF OFFERS PRIOR TO The change an offer already submitted, such change mind is received prior to the opening hour and date specified.	ies of the amendment; (lother solicitation and amount of the HOUR AND DATE Say be made by telegram	b) By acknowledging receipt lendment numbers. FAILURE PECIFIED MAY RESULT IN R	of this amendment on E OF YOUR ACKNOWLE EJECTION OF YOUR O	each copy of the EDGMENT TO BE FFER. If by virtu	RECEIVED AT THE e of this amendment
12. ACCOUNT	ING AND APPROPIRATION DATA (If required)					
			DDIFICATION OF COI DER NO. AS DESCRIE		RS.	
CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUAN NO. IN ITEM 10A.	IT TO: (Specify authority	y) THE CHANGES SET FORT	H IN ITEM 14 ARE MAI	DE IN THE CONT	RACT ORDER
	B. THE ABOVE NUMBERED CONTRACT/ORDE appropriation date, etc.) SET FORTH IN ITE  C. THIS SUPPLEMENTAL AGREEMENT IS ENTI	M 14, PURSUANT TO T	HE AUTHORITY OF FAR 43.		nanges in paying	office,
	D. OTHER (Specify type of modification and au		TO AUTHORITY OF.			
	D. OTHER (Specify type of mounication and au	шопту				
	ANT: Contractor is not, is r	_			-	ssuing office.
74. 020011111	ON OF AMENDINENT/MODIFICATION (Organized	by Ger section reading	s, meading selection, conti	act subject matter wife	ic reasine.	
	ided herein, all terms and conditions of the docum	ent referenced in Item 9				
IDA. NAME A	ND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF	CONTRACTING OFFIC	En (Type or print	)
15B. CONTRA	CTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF A	AMERICA		16C. DATE SIGNED
(Signature of person authorized to sign)			(Signature	e of Contracting Officer	)	

## U.S. DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION EASTERN FEDERAL LANDS HIGHWAY DIVISION

## Amendment No. 001 Herbert Hoover National Historic Site Project PRA-HEHO 10(1), 100(1) DTFH71-08-B-00008

The purpose of this Amendment is to:

- 1) Revise the Special Contract Requirements (J-pages) as follows:
  - a) Section 572 to revise the hydrodemolition water pressure requirements.
- 2) Revise the Plans to clarify limits of concrete removal.

#### **Special Contract Requirement changes**

1. Delete the second and third sentence of the second paragraph of subsection 572.11(b)(2) of the Special Contract Requirements, page J-35 and substitute the following:

The pressure of water existing the nozzle shall be in excess of 20,000 psi.

2. Delete the first sentence of the third paragraph of subsection 572.11(b)(2) of the Special Contract Requirements, page J-35 and substitute the following:


Prior to the commencement of the removal operation, the equipment shall be calibrated on an area of representative, sound concrete as designated by the CO.

#### **Plan Sheet changes**


1. Delete Plan Sheets R04 and R13 and substitute revised Plan Sheets R04 and R13.

Concrete overlay


 $\frac{1}{2}$ " Backer rod



# BRIDGE JOINT AT SOUTH ABUTMENT (North abutment similar)




Silicone seal



Note:

1. Remove top portion of existing bridge deck concrete to 1" min. below top mat of reinforcing steel.



**OVERHEAD DECK REPAIR DETAIL** 

(Typcial at both scuppers)

Note:

Location of concrete repair and cracking are approximate.
 Depth of concrete rebars may vary. Limits of removal areas will be determined in the field by the CO.

Repair concrete

Structure Number 6470-004P

U.S. DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION EASTERN FEDERAL LANDS HIGHWAY DIVISION

HERBERT HOOVER NATIONAL HISTORIC SITE


PARKSIDE DRIVE BRIDGE


BRIDGE DECK DETAILS

NO. DATE REVISIONS DESIGNED BY DRAWN BY CHECKED BY SCALE PROJECT TEAM LEADER BRIDGE DRAWING DRAWING NO. REVISIONS NO. DATE DATE 4/1/08 CHANGE TO " I" min. CHANGE TO " ± ' MRC EMA No Scale Mark Clabaugh 4 of 17 January 2008 CHANGE TO "I" min."

superstructure

Amendment 001	REGION	STATE	PROJECT	SHEET NO.
	MW	IΑ	HEHO (0(1),(00(1)	RI3





#### **APPOACH SLAB REPAIR DETAIL**

NOTE:

Remove top portion of existing approach slab concrete to 1" min. below top mat of reinforcing steel.

### Structure Number 6470-005P

U.S. DEPARTMENT OF TRANSPORTATION FEDERAL HIGHWAY ADMINISTRATION EASTERN FEDERAL LANDS HIGHWAY DIVISION

HERBERT HOOVER NATIONAL HISTORIC SITE
SECOND STREET BRIDGE

APPROACH SLAB REPAIR (PARTIAL DEPTH REMOVAL)

NO. DATE REVISIONS NO. DATE BY REVISIONS DESIGNED BY DRAWN BY CHECKED BY SCALE PROJECT TEAM LEADER BRIDGE DRAWING DATE DRAWING NO. 4/1/08 CHANGE TO " I" min. EMA 13 of 17 MRC No Scale Mark Clabaugh January 2008 CHANGE TO " I" min."